New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

Grape Lemonade 30mg

Sample ID: 2605NBL0799.2189
Matrix: Ingestible
Type: Beverage
Sample Size:
Date Collected:

Received: 05/07/2026
Completed: 05/18/2026
Expires: 05/18/2027
External Lot ID: Zone 3
Batch#: GRLM30_1002

Client
Crescent Distributions



Summary

Test	Date Tested	Result
Cannabinoids	05/08/2026	Pass
Residual Solvents	05/12/2026	Pass
Microbials	05/11/2026	Pass
Mycotoxins	05/14/2026	Pass
Pesticides	05/14/2026	Pass
Heavy Metals	05/14/2026	Pass

Cannabinoids

Pass

27.233 mg/unit	0.007%	ND	27.233 mg/unit
Total THC	Compliance Result	Total CBD	Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result	MU
	mg/unit	mg/unit	mg/unit	mg/mL	%	mg/mL
(6aR,9R)-d10-THC	0.9186	1.378	ND	ND	ND	±0
9R-HHC	0.9186	1.378	ND	ND	ND	±0
(6aR,9S)-d10-THC	0.9186	1.378	ND	ND	ND	±0
9S-HHC	0.9186	1.378	ND	ND	ND	±0
CBC	0.9186	1.378	ND	ND	ND	±0
CBCa	0.9186	1.378	ND	ND	ND	±0
CBD	0.9186	1.378	ND	ND	ND	±0
CBDa	0.9186	1.378	ND	ND	ND	±0
CBDV	0.9186	1.378	ND	ND	ND	±0
CBDVa	0.9186	1.378	ND	ND	ND	±0
CBG	0.9186	1.378	ND	ND	ND	±0
CBGa	0.9186	1.378	ND	ND	ND	±0
CBN	0.9186	1.378	ND	ND	ND	±0
CBNa	0.9186	1.378	ND	ND	ND	±0
Δ8-THC	0.9186	1.378	ND	ND	ND	±0
Δ9-THC	0.9186	1.378	27.233	0.07693	0.007	±0.008
THCa	0.9186	1.378	ND	ND	ND	±0
THCp	0.9186	1.378	ND	ND	ND	±0
THCV	0.9186	1.378	ND	ND	ND	±0
THCVa	0.9186	1.378	ND	ND	ND	±0
Total THC			**27.233**	**0.07693**	**0.007**	
Total CBD			**ND**	**ND**	**ND**	
Total			**27.233**	**0.07693**	**0.007**	

Date Tested: 05/08/2026
Density: 1 mL = 1.038 g, Unit Mass: 367.452 g, 1 Unit = 12 fl oz
Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.
Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; The decision rule is employed; the uncertainty measurement is included in the reported result.

Ashley Phillips
Laboratory Director
05/18/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.

Grape Lemonade 30mg

Sample ID: 2605NBL0799.2189
Matrix: Ingestible
Type: Beverage
Sample Size:
Date Collected:

Received: 05/07/2026
Completed: 05/18/2026
Expires: 05/18/2027
External Lot ID: Zone 3
Batch#: GRLM30_1002

Client
Crescent Distributions

Pesticides

Pass

Analyte	LOQ	LOD	Limit	Result	MU	Status
	PPM	PPM	PPM	PPM	PPM	
Abamectin	0.100	0.029	0.500	ND	±0	Pass
Acephate	0.097	0.029	0.400	ND	±0	Pass
Acequinocyl	0.097	0.029	2.000	ND	±0	Pass
Acetamiprid	0.097	0.029	0.200	ND	±0	Pass
Aldicarb	0.097	0.029	0.400	ND	±0	Pass
Azoxystrobin	0.097	0.029	0.200	ND	±0	Pass
Bifenazate	0.097	0.029	0.200	ND	±0	Pass
Bifenthrin	0.097	0.029	0.200	ND	±0	Pass
Boscalid	0.097	0.029	0.200	ND	±0	Pass
Carbaryl	0.097	0.029	0.400	ND	±0	Pass
Carbofuran	0.097	0.029	0.200	ND	±0	Pass
Chlorantraniliprole	0.097	0.029	0.200	ND	±0	Pass
Chlorfenapyr	0.077	0.029	1.000	ND	±0	Pass
Chlormequat	0.097	0.029	0.200	ND	±0	Pass
Chlorpyrifos	0.097	0.029	0.200	ND	±0	Pass
Clofentezine	0.097	0.029	0.200	ND	±0	Pass
Cyfluthrin	0.483	0.145	1.000	ND	±0	Pass
Cypermethrin	0.483	0.145	1.000	ND	±0	Pass
Daminozide	0.965	0.290	1.000	ND	±0	Pass
Diazinon	0.097	0.029	0.200	ND	±0	Pass
Dichlorvos	0.048	0.015	0.100	ND	±0	Pass
Dimethoate	0.097	0.029	0.200	ND	±0	Pass
Ethoprophos	0.097	0.029	0.200	ND	±0	Pass
Etofenprox	0.097	0.029	0.400	ND	±0	Pass
Etoxazole	0.097	0.029	0.200	ND	±0	Pass
Fenoxycarb	0.097	0.029	0.400	ND	±0	Pass
Fenpyroximate	0.097	0.029	0.400	ND	±0	Pass
Fipronil	0.097	0.029	0.400	ND	±0	Pass
Flonicamid	0.097	0.029	1.000	ND	±0	Pass
Fludioxonil	0.097	0.029	0.400	ND	±0	Pass
Hexythiazox	0.097	0.029	1.000	ND	±0	Pass
Imazalil	0.097	0.029	0.200	ND	±0	Pass
Imidacloprid	0.097	0.029	0.400	ND	±0	Pass
Kresoxim Methyl	0.097	0.029	0.400	ND	±0	Pass
Malathion	0.097	0.029	0.200	ND	±0	Pass
Metalaxyl	0.097	0.029	0.200	ND	±0	Pass
Methiocarb	0.097	0.029	0.200	ND	±0	Pass
Methomyl	0.097	0.029	0.400	ND	±0	Pass
Myclobutanil	0.097	0.029	0.200	ND	±0	Pass
Naled	0.241	0.073	0.500	ND	±0	Pass
Oxamyl	0.097	0.029	1.000	ND	±0	Pass
Paclobutrazol	0.097	0.029	0.400	ND	±0	Pass
Parathion Methyl	0.077	0.029	0.200	ND	±0	Pass
Permethrins	0.097	0.029	0.200	ND	±0	Pass
Phosmet	0.097	0.029	0.200	ND	±0	Pass
Piperonyl Butoxide	0.097	0.029	2.000	ND	±0	Pass
Prallethrin	0.097	0.029	0.200	ND	±0	Pass
Propiconazole	0.097	0.029	0.400	ND	±0	Pass
Propoxur	0.097	0.029	0.200	ND	±0	Pass
Pyrethrins	0.483	0.145	1.000	ND	±0	Pass
Pyridaben	0.097	0.029	0.200	ND	±0	Pass
Spinosad	0.098	0.029	0.200	ND	±0	Pass
Spiromesifen	0.097	0.029	0.200	ND	±0	Pass
Spirotetramat	0.097	0.029	0.200	ND	±0	Pass
Spiroxamine	0.097	0.029	0.400	ND	±0	Pass
Tebuconazole	0.097	0.029	0.400	ND	±0	Pass
Thiacloprid	0.097	0.029	0.200	ND	±0	Pass
Thiamethoxam	0.097	0.029	0.200	ND	±0	Pass
Trifloxystrobin	0.097	0.029	0.200	ND	±0	Pass

Date Tested: 05/14/2026
Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. Testing Method: GC/MS/MS, CON-P-12000; Validation Date: 05/2025. The decision rule is employed; the uncertainty measurement is not included in the reported result.

Ashley Phillips
Laboratory Director
05/18/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.

Grape Lemonade 30mg

Sample ID: 2605NBL0799.2189
Matrix: Ingestible
Type: Beverage
Sample Size:
Date Collected:

Received: 05/07/2026
Completed: 05/18/2026
Expires: 05/18/2027
External Lot ID: Zone 3
Batch#: GRLM30_1002

Client
Crescent Distributions

Microbials

Pass

Analyte	LOD	Result	Status
	CFU/g		
Shiga Toxin-producing E. Coli	1.000	ND	Pass
Salmonella	1.000	ND	Pass
Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger)	1.000	ND	Pass

Testing Method: qPCR, CON-P-6000; Validation Date: 01/2021. The decision rule is employed; the uncertainty measurement is not included in the reported result.

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Aerobic Bacteria	10	ND	Pass
Yeast & Mold	10	ND	Pass

Testing Method: Petrifilms, CON-P-9000; Validation Date: 12/2021.
Date Tested: 05/11/2026
CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected. The decision rule is employed; the uncertainty measurement is not included in the reported result.

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Result	MU	Status
	PPB	PPB	PPB	PPB	PPM	
B1	2	5		ND	±0	Tested
B2	2	5		ND	±0	Tested
G1	2	5		ND	±0	Tested
G2	2	5		ND	±0	Tested
Total Aflatoxins	2	5	20	ND	±0	Pass
Ochratoxin A	6	19	20	ND	±0	Pass

Date Tested: 05/14/2026
Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. The decision rule is employed; the uncertainty measurement is not included in the reported result.

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Result	MU	Status
	PPM	PPM	PPM	PPM	PPM	
Arsenic	0.050	0.100	0.200	ND	±0	Pass
Cadmium	0.050	0.100	0.200	ND	±0	Pass
Lead	0.050	0.100	0.500	ND	±0	Pass
Mercury	0.050	0.100	0.100	ND	±0	Pass

Date Tested: 05/14/2026
Testing Method: ICP/MS, CON-P-7000; Validation Date: 09/2020. The decision rule is employed; the uncertainty measurement is not included in the reported result.

Ashley Phillips
Laboratory Director
05/18/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.

Grape Lemonade 30mg

Sample ID: 2605NBL0799.2189
Matrix: Ingestible
Type: Beverage
Sample Size:
Date Collected:

Received: 05/07/2026
Completed: 05/18/2026
Expires: 05/18/2027
External Lot ID: Zone 3
Batch#: GRLM30_1002

Client
Crescent Distributions

Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Result	MU	Status
	PPM	PPM	PPM	PPM	PPM	
Acetone	66.964	223.214	1000.000	ND	±0	Pass
Benzene	0.268	0.893	2.000	ND	±0	Pass
n-Butane	61.607	205.357		ND	±0	Tested
Isobutane	61.607	205.357		ND	±0	Tested
Butanes			1000.000	ND	±0	Pass
Ethanol	66.964	223.214	5000.000	239.528	±2.108	Pass
Ethyl Acetate	66.964	223.214	1000.000	ND	±0	Pass
Heptane	66.964	223.214	1000.000	ND	±0	Pass
n-Hexane	1.339	4.464		ND	±0	Tested
2,2-Dimethylbutane	1.339	4.464		ND	±0	Tested
3-Methylpentane	1.339	4.464		ND	±0	Tested
2-Methylpentane/2,3-Dimethylbutane	2.679	8.929		ND	±0	Tested
Hexanes			60.000	ND	±0	Pass
Methanol	26.786	89.286	600.000	ND	±0	Pass
Isopentane	61.607	205.357		ND	±0	Tested
n-Pentane	26.786	89.286		ND	±0	Tested
Neopentane	61.607	205.357		ND	±0	Tested
Pentanes			1000.000	ND	±0	Pass
2-Propanol	66.964	223.214	1000.000	ND	±0	Pass
Propane	267.857	892.857	1000.000	ND	±0	Pass
Toluene	0.134	0.446	180.000	ND	±0	Pass
Ethylbenzene	0.134	0.446		ND	±0	Tested
m/p-Xylene	0.134	0.446		ND	±0	Tested
o-Xylene	0.134	0.446		ND	±0	Tested
Xylenes			430.000	ND	±0	Pass

Date Tested: 05/12/2026
Testing Method: HS-GC/MS, CON-P-8000; Validation Date: 09/2020, Butanes (measured as the cumulative sum of n-Butane and iso-Butane), Hexanes (measured as the cumulative sum of n-Hexane, 2,2-Dimethylbutane, 3-Methylpentane, 2-Methylpentane/2,3-Dimethylbutane), Pentanes (measured as the cumulative sum of iso-Pentane, n-Pentane, and neo-Pentane), Xylenes (measures as the cumulative sum of m/p-Xylene, o-Xylenes, and ethylbenzene). The decision rule is employed; the uncertainty measurement is not included in the reported result.

Ashley Phillips
Laboratory Director
05/18/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.