# Certificate of Analysis

## ANALYZED BY:

Anresco Laboratories
1375 Van Dyke Avenue,
San Francisco, CA 94124
DEA# PA0202945

## CUSTOMER:

Crescent Distributions
2728 Magazine street
New Orleans, LA 70130

## MANUFACTURER:

Skeptic Distillery
2525 W Le Moyne St.
Melrose Park 60160
N/A




## SAMPLE INFORMATION

**Sample No.:** 1421450
**Product Name:** Ellora 10mg
**Matrix:** Edible (Beverage)
**Lot #:** EL10.004

**Date Received:** 06/24/2026
**Date Reported:** 06/30/2026

## TEST SUMMARY

**Cannabinoid Profile:** Tested
**Pesticide Residue Screen:** Pass
**Heavy Metal Screen:** Pass
**Microbiological Screen:** Pass
**Residual Solvent Screen:** Pass
**Mycotoxin Screen:** Pass

## Cannabinoid Profile Tested

*06/26/2026*

**Method:** MF-CHEM-15
**Instrument:** Liquid Chromatography Diode Array Detector (LC-DAD)
**Limit of Detection** 0.0033 mg/g
**Limit of Quantitation** 0.0100 mg/g
**Measurement of Uncertainty Average:** ±6.3%

| Cannabinoid | mg/g | % | mg/ml | mg/serving | mg/package | Labeled mg/serving | % Difference |
|---|---|---|---|---|---|---|---|
| Δ8-THC | ND | ND | ND | ND | ND | - | - |
| Δ9-THC | 0.216 | 0.0216 | 0.229 | 10.06 | 170.98 | 10 | 0.58 |
| Δ9-THCA | ND | ND | ND | ND | ND | - | - |
| THCV | ND | ND | ND | ND | ND | - | - |
| THCVA | ND | ND | ND | ND | ND | - | - |
| CBD | ND | ND | ND | ND | ND | - | - |
| CBDA | ND | ND | ND | ND | ND | - | - |
| CBC | ND | ND | ND | ND | ND | - | - |
| CBCA | ND | ND | ND | ND | ND | - | - |
| CBDV | ND | ND | ND | ND | ND | - | - |
| CBG | ND | ND | ND | ND | ND | - | - |
| CBGA | ND | ND | ND | ND | ND | - | - |
| CBN | ND | ND | ND | ND | ND | - | - |
| Exo-THC | ND | ND | ND | ND | ND | - | - |
| (6aR,9R)-Δ10-THC | ND | ND | ND | ND | ND | - | - |
| (6aR,9S)-Δ10-THC | ND | ND | ND | ND | ND | - | - |
| 9(R)-Hexahydrocannabinol | ND | ND | ND | ND | ND | - | - |
| 9(S)-Hexahydrocannabinol | ND | ND | ND | ND | ND | - | - |
| Δ8-THC-O-Acetate | ND | ND | ND | ND | ND | - | - |
| Δ9-THC-O-Acetate | ND | ND | ND | ND | ND | - | - |
| THC-O-Phosphate | NT | NT | NT | NT | NT | - | - |
| Δ8-THCP | ND | ND | ND | ND | ND | - | - |
| Δ9-THCP | ND | ND | ND | ND | ND | - | - |
| Total Δ9-THC | 0.216 | 0.0216 | 0.229 | 10.06 | 170.98 | - | - |
| Total THC | 0.216 | 0.0216 | 0.229 | 10.06 | 170.98 | - | - |
| Total CBD | ND | ND | ND | ND | ND | - | - |
| Total Cannabinoids | 0.216 | 0.0216 | 0.229 | 10.06 | 170.98 | - | - |
| Sum of Cannabinoids | 0.216 | 0.0216 | 0.229 | 10.06 | 170.98 | - | - |
| **Serving Weight (g)** | 46.5212 | | | | | | |
| **Package Weight (g)** | 790.8604 | | | | | | |
| **g/ml Conversion Factor** | 1.0573 | | | | | | |



This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551.

Total Δ9-THC = Δ9-THC + (0.877 * THCA)
Total THC = Δ8-THC + Δ9-THC + (0.877 * THCA)
Total CBD = CBD + (0.877 * CBDA)
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 * Σ (acidic cannabinoids)]

## Microbiological Screen ✔ Pass

*06/29/2026*

**Measurement of Uncertainty Average:** APC ±35.6%, Y&M ±31.3%

| Analyte | Findings | Units | Method | Limit | Status |
|---|---|---|---|---|---|
| E. Coli | ND | /1g | FDA BAM Modified | ND | Pass |
| Salmonella | ND | /25g | AOAC 2016.01 | ND | Pass |
| STEC | ND | /25g | MF-MICRO-18 | ND | Pass |
| Aspergillus flavus | ND | /25g | MF-MICRO-14 | ND | Pass |
| Aspergillus fumigatus | ND | /25g | MF-MICRO-14 | ND | Pass |
| Aspergillus niger | ND | /25g | MF-MICRO-14 | ND | Pass |
| Aspergillus terreus | ND | /25g | MF-MICRO-14 | ND | Pass |
| Total Yeast and Mold | 0/10 | cfu/g | FDA BAM | 10000 | Pass |

## Pesticide Residue Screen ✔ Pass

*06/30/2026*

**Method:** MF-CHEM-13

**Instrument:** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

**Measurement of Uncertainty Average:** ±21.40%

| Analyte | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm) | Status |
|---|---|---|---|---|
| Abamectin | 0.015/0.05 | ND | 0.05 | Pass |
| Acephate | 0.003/0.01 | ND | 0.01 | Pass |
| Acequinocyl | 0.003/0.01 | ND | 0.01 | Pass |
| Acetamiprid | 0.003/0.01 | ND | 0.01 | Pass |
| Aldicarb | 0.003/0.01 | ND | 0.01 | Pass |
| Azoxystrobin | 0.003/0.01 | ND | 0.01 | Pass |
| Bifenazate | 0.003/0.01 | ND | 0.01 | Pass |
| Bifenthrin | 0.003/0.01 | ND | 0.01 | Pass |
| Boscalid | 0.003/0.01 | ND | 0.01 | Pass |
| Captan | 0.250/0.7 | ND | 0.7 | Pass |
| Carbaryl | 0.003/0.01 | ND | 0.01 | Pass |
| Carbofuran | 0.003/0.01 | ND | 0.01 | Pass |
| Chlorantraniliprole | 0.003/0.01 | ND | 0.01 | Pass |
| Chlordane | 0.020/0.06 | ND | 0.06 | Pass |
| Chlorfenapyr | 0.015/0.05 | ND | 0.05 | Pass |
| Chlorpyrifos | 0.003/0.01 | ND | 0.01 | Pass |
| Clofentezine | 0.003/0.01 | ND | 0.01 | Pass |
| Coumaphos | 0.003/0.01 | ND | 0.01 | Pass |
| Cyfluthrin | 0.015/0.05 | ND | 0.05 | Pass |
| Cypermethrin | 0.015/0.05 | ND | 0.05 | Pass |
| Daminozide | 0.003/0.01 | ND | 0.01 | Pass |
| DDVP (Dichlorvos) | 0.003/0.01 | ND | 0.01 | Pass |
| Diazinon | 0.003/0.01 | ND | 0.01 | Pass |
| Dimethoate | 0.003/0.01 | ND | 0.01 | Pass |
| Dimethomorph | 0.003/0.01 | ND | 0.01 | Pass |
| Ethoprop(hos) | 0.003/0.01 | ND | 0.01 | Pass |
| Etofenprox | 0.003/0.01 | ND | 0.01 | Pass |
| Etoxazole | 0.003/0.01 | ND | 0.01 | Pass |
| Fenhexamid | 0.007/0.02 | ND | 0.02 | Pass |
| Fenoxycarb | 0.003/0.01 | ND | 0.01 | Pass |
| Fenpyroximate | 0.007/0.02 | ND | 0.02 | Pass |
| Fipronil | 0.003/0.01 | ND | 0.01 | Pass |
| Flonicamid | 0.003/0.01 | ND | 0.01 | Pass |
| Fludioxonil | 0.003/0.01 | ND | 0.01 | Pass |
| Hexythiazox | 0.003/0.01 | ND | 0.01 | Pass |
| Imazalil | 0.003/0.01 | ND | 0.01 | Pass |
| Imidacloprid | 0.003/0.01 | ND | 0.01 | Pass |
| Kresoxim Methyl | 0.003/0.01 | ND | 0.01 | Pass |
| Malathion | 0.003/0.01 | ND | 0.01 | Pass |
| Metalaxyl | 0.003/0.01 | ND | 0.01 | Pass |
| Methiocarb | 0.003/0.01 | ND | 0.01 | Pass |
| Methomyl | 0.003/0.01 | ND | 0.01 | Pass |
| Methyl parathion | 0.003/0.01 | ND | 0.01 | Pass |
| Mevinphos | 0.007/0.02 | ND | 0.02 | Pass |



This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551.

| Analyte | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm) | Status |
|---|---|---|---|---|
| Myclobutanil | 0.003/0.01 | ND | 0.01 | Pass |
| Naled | 0.003/0.01 | ND | 0.01 | Pass |
| Oxamyl | 0.003/0.01 | ND | 0.01 | Pass |
| Paclobutrazol | 0.003/0.01 | ND | 0.01 | Pass |
| Pentachloronitrobenzene | 0.003/0.01 | ND | 0.01 | Pass |
| Permethrins | 0.015/0.05 | ND | 0.05 | Pass |
| Phosmet | 0.003/0.01 | ND | 0.01 | Pass |
| Piperonyl Butoxide | 0.003/0.01 | ND | 0.01 | Pass |
| Prallethrin | 0.015/0.05 | ND | 0.05 | Pass |
| Propiconazole | 0.003/0.01 | ND | 0.01 | Pass |
| Propoxur | 0.003/0.01 | ND | 0.01 | Pass |
| Pyrethrins | 0.015/0.05 | ND | 0.05 | Pass |
| Pyridaben | 0.003/0.01 | ND | 0.01 | Pass |
| Spinetoram | 0.003/0.01 | ND | 0.01 | Pass |
| Spinosad | 0.003/0.01 | ND | 0.01 | Pass |
| Spiromesifen | 0.003/0.01 | ND | 0.01 | Pass |
| Spirotetramat | 0.003/0.01 | ND | 0.01 | Pass |
| Spiroxamine | 0.003/0.01 | ND | 0.01 | Pass |
| Tebuconazole | 0.003/0.01 | ND | 0.01 | Pass |
| Thiacloprid | 0.003/0.01 | ND | 0.01 | Pass |
| Thiamethoxam | 0.003/0.01 | ND | 0.01 | Pass |
| Trifloxystrobin | 0.003/0.01 | ND | 0.01 | Pass |
| Azadirachtin | 0.100/0.30 | ND | 0.3 | Pass |
| Chlormequat Chloride | 0.03/0.10 | ND | 0.1 | Pass |
| MGK 264 | 0.03/0.10 | ND | 0.1 | Pass |



This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551.

## Residual Solvent Screen ✔ Pass

06/30/2026

**Method:** MF-CHEM-32

**Measurement of Uncertainty Average:** ±1.43%

| Analyte | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|---|---|---|---|---|
| Propane | 67/200 | ND | 210 | Pass |
| (+/-)-2-Butanol | 13.3/40 | ND | 5000 | Pass |
| 1,1-Dichloroethene | 2/4 | ND | 8 | Pass |
| 1,2-Dichloroethane | 0.2/0.5 | ND | 5 | Pass |
| 1,4-Dioxane | 13.3/40 | ND | 30 | Pass |
| 2-Ethoxyethanol | 13.3/40 | ND | 160 | Pass |
| Acetone | 67/200 | ND | 500 | Pass |
| Acetonitrile | 67/200 | ND | 410 | Pass |
| Benzene | 0.2/0.5 | ND | 1 | Pass |
| Chloroform | 0.2/0.5 | ND | 2 | Pass |
| Cumene | 13.3/40 | ND | 70 | Pass |
| Cyclohexane | 13.3/40 | ND | 3880 | Pass |
| Ethanol | 67/200 | 230.00 | 5000 | Pass |
| Ethyl acetate | 67/200 | ND | 1000 | Pass |
| Ethyl ether | 67/200 | ND | 5000 | Pass |
| Ethylene Glycol | 13.3/40 | ND | 620 | Pass |
| Ethylene oxide | 0.2/0.5 | ND | 5 | Pass |
| n-Heptane | 67/200 | ND | 500 | Pass |
| Isopropyl Acetate | 13.3/40 | ND | 5000 | Pass |
| Isopropyl alcohol | 67/200 | ND | 500 | Pass |
| Methanol | 67/200 | ND | 500 | Pass |
| Methylene chloride | 0.2/0.5 | ND | 600 | Pass |
| Toluene | 67/200 | ND | 53 | Pass |
| Tetrahydrofuran | 13.3/40 | ND | 720 | Pass |
| Trichloroethene | 13.3/40 | ND | 80 | Pass |
| Isobutane | 6.7/20 | ND | - | See Total Butanes |
| n-Butane | 67/200 | ND | - | See Total Butanes |
| Total Butanes | 6.7/40 | ND | 500 | Pass |
| 2,2-Dimethylbutane | 2.7/8 | ND | - | See Total Hexanes |
| 2,3-Dimethylbutane | 2.7/8 | ND | - | See Total Hexanes |
| 2-Methylpentane | 2.7/8 | ND | - | Pass |
| 3-Methylpentane | 2.7/8 | ND | - | Pass |
| n-Hexane | 67/200 | ND | - | See Total Hexanes |
| Total Hexanes | 2.7/8 | ND | 18 | Pass |
| 2 Methylbutane | 4.4/13.34 | ND | - | See Total Pentanes |
| Neopentane | 4.4/13.34 | ND | - | See Total Pentanes |
| n-Pentane | 67/200 | ND | - | See Total Pentanes |
| Total Pentanes | 4.4/13.34 | ND | 500 | Pass |
| Ethylbenzene | 3.3/10 | ND | - | See Total Xylenes |
| m+p-Xylene | 6.7/20 | ND | - | See Total Xylenes |
| o-Xylene | 3.3/10 | ND | - | See Total Xylenes |
| Total Xylenes | 67/200 | ND | 217 | Pass |

## Heavy Metal Screen ✔ Pass

06/30/2026

**Method:** MF-CHEM-16

**Instrument:** Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

**Measurement of Uncertainty Average:** ±4.4%

| Analyte | LOD / LOQ (µg/g) | Findings (µg/g) | Limit | Status |
|---|---|---|---|---|
| Arsenic | 0.033/0.101 | ND | 0.2 | Pass |
| Cadmium | 0.047/0.141 | ND | 0.2 | Pass |
| Mercury | 0.014/0.05 | ND | 0.1 | Pass |
| Lead | 0.107/0.324 | ND | 0.5 | Pass |



This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551.

anresco LABORATORIES since 1943

# Certificate of Analysis

## Mycotoxin Screen ✔ Pass

*06/30/2026*

**Method:** MF-CHEM-13

**Instrument:** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

**Measurement of Uncertainty (MU):** ±20.21%

| Analyte | LOD/LOQ (ppb) | Findings (ppb) | Limit (ppb) | Status |
|---|---|---|---|---|
| Aflatoxin B1 | 2/5 | ND | 20 | Pass |
| Aflatoxin B2 | 2/5 | ND | 20 | Pass |
| Aflatoxin G1 | 2/5 | ND | 20 | Pass |
| Aflatoxin G2 | 2/5 | ND | 20 | Pass |
| Total Aflatoxins | 8/20 | ND | 20 | Pass |
| Ochratoxin A | 2/5 | ND | 20 | Pass |

ND = None Detected
LOD = Limit of Detection
LOQ = Limit of Quantitation

Reported by



Vu Lam
Lab Co Director

Scan to verify



This document is intended only for the use of the party to whom it is addressed and may contain information that is privileged, confidential or protected from disclosure under applicable law. Sampling was not performed by the laboratory. Results apply only to the sample(s) as received. Anresco Laboratories is ISO/IEC 17025:2017 Accredited by ANAB - Certificate Number AT-1551.