New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

Passion Punch 5mg

Sample ID: 2606NBL1092.3032
Matrix: Ingestible
Type: Beverage
Sample Size:
Date Collected:

Received: 06/17/2026
Completed: 07/06/2026
Expires: 07/06/2027
External Lot ID:
Batch#: PP5_1003

Client
Crescent Distributions



Summary

Test	Date Tested	Result
Cannabinoids	06/18/2026	Pass
Residual Solvents	06/26/2026	Pass
Microbials	06/24/2026	Pass
Pesticides	06/29/2026	Pass
Heavy Metals	06/24/2026	Pass

Cannabinoids

Pass

4.805 mg/unit	0.0013%	3.614 mg/unit	8.419 mg/unit
Total Δ9-THC	Compliance Result	Total CBD	Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/mL	%
(6aR,9R)-d10-THC	0.9169	1.375	ND	ND	ND
9R-HHC	0.9169	1.375	ND	ND	ND
(6aR,9S)-d10-THC	0.9169	1.375	ND	ND	ND
9S-HHC	0.9169	1.375	ND	ND	ND
CBC	0.9169	1.375	ND	ND	ND
CBCa	0.9169	1.375	ND	ND	ND
CBD	0.9169	1.375	3.614	0.01021	0.001
CBDa	0.9169	1.375	ND	ND	ND
CBDV	0.9169	1.375	ND	ND	ND
CBDVa	0.9169	1.375	ND	ND	ND
CBG	0.9169	1.375	ND	ND	ND
CBGa	0.9169	1.375	ND	ND	ND
CBN	0.9169	1.375	ND	ND	ND
CBNa	0.9169	1.375	ND	ND	ND
Δ8-THC	0.9169	1.375	ND	ND	ND
Δ9-THC	0.9169	1.375	4.805	0.01357	0.001
THCa	0.9169	1.375	ND	ND	ND
THCp	0.9169	1.375	ND	ND	ND
THCV	0.9169	1.375	ND	ND	ND
THCVa	0.9169	1.375	ND	ND	ND
Total THC			**4.805**	**0.01357**	**0.001**
Total CBD			**3.614**	**0.01021**	**0.001**
Total			**8.419**	**0.02378**	**0.002**

Date Tested: 06/18/2026
Density: 1 mL = 1.036 g, Unit Mass: 366.744 g, 1 Unit = 12 fl oz
Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.

Total THC/ Serving: 4.805 mg
1 Serving: 1 Unit: 366.744 g
Total THC/ 4 Unit Pack: 19.220 mg

Total Δ9-THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; Total Δ9-THC Measurement of Uncertainty: ± 0.040%, Total CBD Measurement of Uncertainty: ± 2.000%. The decision rule is employed; the uncertainty measurement is not included in the reported result.

Ashley Phillips
Laboratory Director
07/06/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.

Passion Punch 5mg

Sample ID: 2606NBL1092.3032
Matrix: Ingestible
Type: Beverage
Sample Size:
Date Collected:

Received: 06/17/2026
Completed: 07/06/2026
Expires: 07/06/2027
External Lot ID:
Batch#: PP5_1003

Client
Crescent Distributions

Pesticides

Pass

Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Abamectin	0.101	0.029	0.300	ND	Pass
Acephate	0.097	0.029	5.000	ND	Pass
Acequinocyl	0.097	0.029	4.000	ND	Pass
Acetamiprid	0.097	0.029	5.000	ND	Pass
Aldicarb	0.097	0.029	0.029	ND	Pass
Azoxystrobin	0.097	0.029	40.000	ND	Pass
Bifenazate	0.097	0.029	5.000	ND	Pass
Bifenthrin	0.097	0.029	0.500	ND	Pass
Boscalid	0.097	0.029	10.000	ND	Pass
Captan	0.388	0.116	5.000	ND	Pass
Carbaryl	0.097	0.029	0.500	ND	Pass
Carbofuran	0.097	0.029	0.029	ND	Pass
Chlorantraniliprole	0.097	0.029	40.000	ND	Pass
Chlorpyrifos	0.097	0.029	0.029	ND	Pass
Clofentezine	0.097	0.029	0.500	ND	Pass
Coumaphos	0.097	0.029	0.029	ND	Pass
Cyfluthrin	0.078	0.023	1.000	ND	Pass
Cypermethrin	0.078	0.023	1.000	ND	Pass
Daminozide	0.097	0.029	0.029	ND	Pass
Diazinon	0.097	0.029	0.200	ND	Pass
Dichlorvos	0.048	0.016	0.016	ND	Pass
Dimethoate	0.097	0.029	0.029	ND	Pass
Dimethomorph	0.093	0.029	20.000	ND	Pass
Ethoprophos	0.097	0.029	0.029	ND	Pass
Etofenprox	0.097	0.029	0.029	ND	Pass
Etoxazole	0.097	0.029	1.500	ND	Pass
Fenhexamid	0.097	0.029	10.000	ND	Pass
Fenoxycarb	0.097	0.029	0.029	ND	Pass
Fenpyroximate	0.097	0.029	2.000	ND	Pass
Flonicamid	0.097	0.029	2.000	ND	Pass
Fludioxonil	0.097	0.029	30.000	ND	Pass
Hexythiazox	0.097	0.029	2.000	ND	Pass

Analyte	LOQ	LOD	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Imazalil	0.097	0.029	0.029	ND	Pass
Imidacloprid	0.097	0.029	3.000	ND	Pass
Kresoxim Methyl	0.097	0.029	1.000	ND	Pass
Malathion	0.097	0.029	5.000	ND	Pass
Metalaxyl	0.097	0.029	15.000	ND	Pass
Methiocarb	0.097	0.029	0.029	ND	Pass
Methomyl	0.097	0.029	0.100	ND	Pass
Mevinphos	0.097	0.029	0.029	ND	Pass
Myclobutanil	0.097	0.029	9.000	ND	Pass
Naled	0.242	0.074	0.500	ND	Pass
Oxamyl	0.097	0.029	0.200	ND	Pass
Paclobutrazol	0.097	0.029	0.029	ND	Pass
Methyl Parathion	0.078	0.023	0.023	ND	Pass
Pentachloronitrobenzene	0.078	0.023	0.200	ND	Pass
Permethrins	0.097	0.029	20.000	ND	Pass
Phosmet	0.097	0.029	0.200	ND	Pass
Piperonyl Butoxide	0.097	0.029	8.000	ND	Pass
Prallethrin	0.097	0.029	0.400	ND	Pass
Propiconazole	0.097	0.029	20.000	ND	Pass
Propoxur	0.097	0.029	0.029	ND	Pass
Pyrethrins	0.484	0.145	1.000	ND	Pass
Pyridaben	0.097	0.029	3.000	ND	Pass
Spinetoram	0.097	0.029	3.000	ND	Pass
Spinosad	0.099	0.029	3.000	ND	Pass
Spiromesifen	0.097	0.029	12.000	ND	Pass
Spirotetramat	0.097	0.029	13.000	ND	Pass
Spiroxamine	0.097	0.029	0.029	ND	Pass
Tebuconazole	0.097	0.029	2.000	ND	Pass
Thiacloprid	0.097	0.029	0.029	ND	Pass
Thiamethoxam	0.097	0.029	4.500	ND	Pass
Trifloxystrobin	0.097	0.029	30.000	ND	Pass

Date Tested: 06/29/2026
Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. Testing Method: GC/MS/MS, CON-P-12000; Validation Date: 05/2025. The decision rule is employed; the uncertainty measurement is not included in the reported result.

Ashley Phillips
Laboratory Director
07/06/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.

Passion Punch 5mg

Sample ID: 2606NBL1092.3032
Matrix: Ingestible
Type: Beverage
Sample Size:
Date Collected:

Received: 06/17/2026
Completed: 07/06/2026
Expires: 07/06/2027
External Lot ID:
Batch#: PP5_1003

Client
Crescent Distributions

Microbials

Pass

Analyte	LOD	Result	Status
	CFU/g		
Shiga Toxin-producing E. Coli	1.000	ND	Pass
Salmonella	1.000	ND	Pass

Testing Method: qPCR, CON-P-6000; Validation Date: 01/2021. The decision rule is employed; the uncertainty measurement is not included in the reported result.

Analyte	LOD	Result	Status
	CFU/g	CFU/g	
Yeast & Mold	9	ND	Pass
E. Coli	8	ND	Pass

Testing Method: Petrifilms, CON-P-9000; Validation Date: 12/2021.
Date Tested: 06/24/2026
CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected. The decision rule is employed; the uncertainty measurement is not included in the reported result.

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.047	0.094	10.000	ND	Pass
Cadmium	0.047	0.094	4.100	ND	Pass
Lead	0.047	0.094	10.000	ND	Pass
Mercury	0.047	0.094	2.000	ND	Pass

Date Tested: 06/24/2026
Testing Method: ICP/MS, CON-P-7000; Validation Date: 09/2020. The decision rule is employed; the uncertainty measurement is not included in the reported result.

Ashley Phillips
Laboratory Director
07/06/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.

Passion Punch 5mg

Sample ID: 2606NBL1092.3032
Matrix: Ingestible
Type: Beverage
Sample Size:
Date Collected:

Received: 06/17/2026
Completed: 07/06/2026
Expires: 07/06/2027
External Lot ID:
Batch#: PP5_1003

Client
Crescent Distributions

Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	PPM	PPM	PPM	PPM	
Benzene	0.268	0.893	1.000	ND	Pass
n-Butane	61.607	205.357		ND	Tested
Isobutane	61.607	205.357		ND	Tested
Butanes			800.000	ND	Pass
Ethanol	66.964	223.214	5000.000	226.925	Pass
Heptane	66.964	223.214	500.000	ND	Pass
n-Hexane	1.339	4.464		ND	Tested
2,2-Dimethylbutane	1.339	4.464		ND	Tested
3-Methylpentane	1.339	4.464		ND	Tested
2-Methylpentane/2,3-Dimethylbutane	2.679	8.929		ND	Tested
Hexanes			10.000	ND	Pass
Toluene	0.134	0.446	1.000	ND	Pass
m/p-Xylene	0.134	0.446		ND	Tested
o-Xylene	0.134	0.446		ND	Tested
Xylenes			1.000	ND	Pass

Date Tested: 06/26/2026
Testing Method: HS-GC/MS, CON-P-8000; Validation Date: 09/2020., Butanes (measured as the cumulative sum of n-Butane and iso-Butane), Hexanes (measured as the cumulative sum of n-Hexane, 2,2-Dimethylbutane, 3-Methylpentane, 2-Methylpentane/2,3-Dimethylbutane), Xylenes (measures as the cumulative sum of m/p-Xylene and o-Xylenes) The decision rule is employed; the uncertainty measurement is not included in the reported result.

Ashley Phillips
Laboratory Director
07/06/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.