New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868



# Raspberry Lime 30mg

**Sample ID: 2607NBL1256.3432**
Matrix: Ingestible
Type: Beverage
Sample Size:
Date Collected:

Received: 07/13/2026
Completed: 07/29/2026
Expires: 07/29/2027
External Lot ID:
Batch#: RASL30_1003

Client
**Crescent Distributions**




## Summary

| Test | Date Tested | Result |
|---|---|---|
| Cannabinoids | 07/13/2026 | Pass |
| Residual Solvents | 07/21/2026 | Pass |
| Microbials | 07/14/2026 | Pass |
| Mycotoxins | 07/28/2026 | Pass |
| Pesticides | 07/28/2026 | Pass |
| Heavy Metals | 07/28/2026 | Pass |

## Cannabinoids

Pass

| 31.299 mg/unit | 0.008% | ND | 31.299 mg/unit |
|---|---|---|---|
| Total Δ9-THC | Compliance Result | Total CBD | Total Cannabinoids |

| Analyte | LOD | LOQ | Result | Result | Result | MU |
|---|---|---|---|---|---|---|
| | mg/unit | mg/unit | mg/unit | mg/mL | % | % |
| (6aR,9R)-d10-THC | 0.9195 | 1.379 | ND | ND | ND | ±0.0000 |
| 9R-HHC | 0.9195 | 1.379 | ND | ND | ND | ±0.0000 |
| (6aR,9S)-d10-THC | 0.9195 | 1.379 | ND | ND | ND | ±0.0000 |
| 9S-HHC | 0.9195 | 1.379 | ND | ND | ND | ±0.0000 |
| CBC | 0.9195 | 1.379 | ND | ND | ND | ±0.0000 |
| CBCa | 0.9195 | 1.379 | ND | ND | ND | ±0.0000 |
| CBD | 0.9195 | 1.379 | ND | ND | ND | ±0.0000 |
| CBDa | 0.9195 | 1.379 | ND | ND | ND | ±0.0000 |
| CBDV | 0.9195 | 1.379 | ND | ND | ND | ±0.0000 |
| CBDVa | 0.9195 | 1.379 | ND | ND | ND | ±0.0000 |
| CBG | 0.9195 | 1.379 | ND | ND | ND | ±0.0000 |
| CBGa | 0.9195 | 1.379 | ND | ND | ND | ±0.0000 |
| CBN | 0.9195 | 1.379 | ND | ND | ND | ±0.0000 |
| CBNa | 0.9195 | 1.379 | ND | ND | ND | ±0.0000 |
| Δ8-THC | 0.9195 | 1.379 | ND | ND | ND | ±0.0000 |
| Δ9-THC | 0.9195 | 1.379 | 31.299 | 0.08842 | 0.009 | ±0.0006 |
| THCa | 0.9195 | 1.379 | ND | ND | ND | ±0.0000 |
| THCp | 0.9195 | 1.379 | ND | ND | ND | ±0.0000 |
| THCV | 0.9195 | 1.379 | ND | ND | ND | ±0.0000 |
| THCVa | 0.9195 | 1.379 | ND | ND | ND | ±0.0000 |
| **Total THC** | | | **31.299** | **0.08842** | **0.009** | |
| **Total CBD** | | | **ND** | **ND** | **ND** | |
| **Total** | | | **31.299** | **0.08842** | **0.009** | |

Date Tested: 07/13/2026
Density: 1 mL = 1.039 g, Unit Mass: 367.806 g, 1 Unit = 12 fl oz
Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.
Total Δ9-THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; The decision rule is employed; the uncertainty measurement is included in the reported result.

Ashley Phillips
Laboratory Director
07/29/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.

# Raspberry Lime 30mg

**Sample ID: 2607NBL1256.3432**
Matrix: Ingestible
Type: Beverage
Sample Size:
Date Collected:

Received: 07/13/2026
Completed: 07/29/2026
Expires: 07/29/2027
External Lot ID:
Batch#: RASL30_1003

Client
**Crescent Distributions**

## Pesticides

Pass

| Analyte | LOQ | LOD | Limit | Result | MU | Status |
|---|---|---|---|---|---|---|
| | PPM | PPM | PPM | PPM | PPM | |
| Abamectin | 0.103 | 0.030 | 0.500 | ND | ±0.000 | Pass |
| Acephate | 0.099 | 0.030 | 0.400 | ND | ±0.000 | Pass |
| Acequinocyl | 0.099 | 0.030 | 2.000 | ND | ±0.000 | Pass |
| Acetamiprid | 0.099 | 0.030 | 0.200 | ND | ±0.000 | Pass |
| Aldicarb | 0.099 | 0.030 | 0.400 | ND | ±0.000 | Pass |
| Azoxystrobin | 0.099 | 0.030 | 0.200 | ND | ±0.000 | Pass |
| Bifenazate | 0.099 | 0.030 | 0.200 | ND | ±0.000 | Pass |
| Bifenthrin | 0.099 | 0.030 | 0.200 | ND | ±0.000 | Pass |
| Boscalid | 0.099 | 0.030 | 0.200 | ND | ±0.000 | Pass |
| Carbaryl | 0.099 | 0.030 | 0.400 | ND | ±0.000 | Pass |
| Carbofuran | 0.099 | 0.030 | 0.200 | ND | ±0.000 | Pass |
| Chlorantraniliprole | 0.099 | 0.030 | 0.200 | ND | ±0.000 | Pass |
| Chlorfenapyr | 0.079 | 0.024 | 1.000 | ND | ±0.000 | Pass |
| Chlormequat | 0.099 | 0.030 | 0.200 | ND | ±0.000 | Pass |
| Chlorpyrifos | 0.099 | 0.030 | 0.200 | ND | ±0.000 | Pass |
| Clofentezine | 0.099 | 0.030 | 0.200 | ND | ±0.000 | Pass |
| Cyfluthrin | 0.079 | 0.024 | 1.000 | ND | ±0.000 | Pass |
| Cypermethrin | 0.079 | 0.024 | 1.000 | ND | ±0.000 | Pass |
| Daminozide | 0.099 | 0.030 | 1.000 | ND | ±0.000 | Pass |
| Diazinon | 0.099 | 0.030 | 0.200 | ND | ±0.000 | Pass |
| Dichlorvos | 0.050 | 0.016 | 0.100 | ND | ±0.000 | Pass |
| Dimethoate | 0.099 | 0.030 | 0.200 | ND | ±0.000 | Pass |
| Ethoprophos | 0.099 | 0.030 | 0.200 | ND | ±0.000 | Pass |
| Etofenprox | 0.099 | 0.030 | 0.400 | ND | ±0.000 | Pass |
| Etoxazole | 0.099 | 0.030 | 0.200 | ND | ±0.000 | Pass |
| Fenoxycarb | 0.099 | 0.030 | 0.400 | ND | ±0.000 | Pass |
| Fenpyroximate | 0.099 | 0.030 | 0.400 | ND | ±0.000 | Pass |
| Fipronil | 0.099 | 0.030 | 0.400 | ND | ±0.000 | Pass |
| Flonicamid | 0.099 | 0.030 | 1.000 | ND | ±0.000 | Pass |
| Fludioxonil | 0.099 | 0.030 | 0.400 | ND | ±0.000 | Pass |
| Hexythiazox | 0.099 | 0.030 | 1.000 | ND | ±0.000 | Pass |
| Imazalil | 0.099 | 0.030 | 0.200 | ND | ±0.000 | Pass |
| Imidacloprid | 0.099 | 0.030 | 0.400 | ND | ±0.000 | Pass |
| Kresoxim Methyl | 0.099 | 0.030 | 0.400 | ND | ±0.000 | Pass |
| Malathion | 0.099 | 0.030 | 0.200 | ND | ±0.000 | Pass |
| Metalaxyl | 0.099 | 0.030 | 0.200 | ND | ±0.000 | Pass |
| Methiocarb | 0.099 | 0.030 | 0.200 | ND | ±0.000 | Pass |
| Methomyl | 0.099 | 0.030 | 0.400 | ND | ±0.000 | Pass |
| Myclobutanil | 0.099 | 0.030 | 0.200 | ND | ±0.000 | Pass |
| Naled | 0.248 | 0.075 | 0.500 | ND | ±0.000 | Pass |
| Oxamyl | 0.099 | 0.030 | 1.000 | ND | ±0.000 | Pass |
| Paclobutrazol | 0.099 | 0.030 | 0.400 | ND | ±0.000 | Pass |
| Parathion Methyl | 0.079 | 0.024 | 0.200 | ND | ±0.000 | Pass |
| Permethrins | 0.099 | 0.030 | 0.200 | ND | ±0.000 | Pass |
| Phosmet | 0.099 | 0.030 | 0.200 | ND | ±0.000 | Pass |
| Piperonyl Butoxide | 0.099 | 0.030 | 2.000 | ND | ±0.000 | Pass |
| Prallethrin | 0.099 | 0.030 | 0.200 | ND | ±0.000 | Pass |
| Propiconazole | 0.099 | 0.030 | 0.400 | ND | ±0.000 | Pass |
| Propoxur | 0.099 | 0.030 | 0.200 | ND | ±0.000 | Pass |
| Pyrethrins | 0.495 | 0.149 | 1.000 | ND | ±0.000 | Pass |
| Pyridaben | 0.099 | 0.030 | 0.200 | ND | ±0.000 | Pass |
| Spinosad | 0.101 | 0.030 | 0.200 | ND | ±0.000 | Pass |
| Spiromesifen | 0.099 | 0.030 | 0.200 | ND | ±0.000 | Pass |
| Spirotetramat | 0.099 | 0.030 | 0.200 | ND | ±0.000 | Pass |
| Spiroxamine | 0.099 | 0.030 | 0.400 | ND | ±0.000 | Pass |
| Tebuconazole | 0.099 | 0.030 | 0.400 | ND | ±0.000 | Pass |
| Thiacloprid | 0.099 | 0.030 | 0.200 | ND | ±0.000 | Pass |
| Thiamethoxam | 0.099 | 0.030 | 0.200 | ND | ±0.000 | Pass |
| Trifloxystrobin | 0.099 | 0.030 | 0.200 | ND | ±0.000 | Pass |

Date Tested: 07/28/2026
Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. Testing Method: GC/MS/MS, CON-P-12000; Validation Date: 05/2025. The decision rule is employed; the uncertainty measurement is not included in the reported result.

Ashley Phillips
Laboratory Director
07/29/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.

# Raspberry Lime 30mg

**Sample ID: 2607NBL1256.3432**
Matrix: Ingestible
Type: Beverage
Sample Size:
Date Collected:

Received: 07/13/2026
Completed: 07/29/2026
Expires: 07/29/2027
External Lot ID:
Batch#: RASL30_1003

Client
**Crescent Distributions**

## Microbials

Pass

| Analyte | LOD | Result | Status |
|---|---|---|---|
| | CFU/g | | |
| Shiga Toxin-producing E. Coli | 1.000 | ND | Pass |
| Salmonella | 1.000 | ND | Pass |
| Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger) | 1.000 | ND | Pass |

Testing Method: qPCR, CON-P-6000; Validation Date: 01/2021. The decision rule is employed; the uncertainty measurement is not included in the reported result.

| Analyte | LOD | Result | Status |
|---|---|---|---|
| | CFU/g | CFU/g | |
| Aerobic Bacteria | 10 | ND | Pass |
| Yeast & Mold | 10 | ND | Pass |

Testing Method: Petrifilms, CON-P-9000; Validation Date: 12/2021.
Date Tested: 07/14/2026
CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected. The decision rule is employed; the uncertainty measurement is not included in the reported result.

## Mycotoxins

Pass

| Analyte | LOD | LOQ | Limit | Result | MU | Status |
|---|---|---|---|---|---|---|
| | PPB | PPB | PPB | PPB | PPB | |
| B1 | 1.6 | 5.0 | | ND | ±0.0 | Tested |
| B2 | 1.6 | 5.0 | | ND | ±0.0 | Tested |
| G1 | 1.6 | 5.0 | | ND | ±0.0 | Tested |
| G2 | 1.6 | 5.0 | | ND | ±0.0 | Tested |
| Total Aflatoxins | 1.6 | 5.0 | 20.0 | ND | ±0.0 | Pass |
| Ochratoxin A | 5.9 | 19.8 | 20.0 | ND | ±0.0 | Pass |

Date Tested: 07/28/2026
Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. The decision rule is employed; the uncertainty measurement is not included in the reported result.

## Heavy Metals

Pass

| Analyte | LOD | LOQ | Limit | Result | MU | Status |
|---|---|---|---|---|---|---|
| | PPM | PPM | PPM | PPM | PPM | |
| Arsenic | 0.048 | 0.097 | 0.200 | ND | ±0.000 | Pass |
| Cadmium | 0.048 | 0.097 | 0.200 | ND | ±0.000 | Pass |
| Lead | 0.048 | 0.097 | 0.500 | ND | ±0.000 | Pass |
| Mercury | 0.048 | 0.097 | 0.100 | ND | ±0.000 | Pass |

Date Tested: 07/28/2026
Testing Method: ICP/MS, CON-P-7000; Validation Date: 09/2020. The decision rule is employed; the uncertainty measurement is not included in the reported result.

Ashley Phillips
Laboratory Director
07/29/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.

# Raspberry Lime 30mg

**Sample ID: 2607NBL1256.3432**
Matrix: Ingestible
Type: Beverage
Sample Size:
Date Collected:

Received: 07/13/2026
Completed: 07/29/2026
Expires: 07/29/2027
External Lot ID:
Batch#: RASL30_1003

Client
**Crescent Distributions**

## Residual Solvents

Pass

| Analyte | LOD | LOQ | Limit | Result | MU | Status |
|---|---|---|---|---|---|---|
| | PPM | PPM | PPM | PPM | PPM | |
| Acetone | 66.964 | 223.214 | 1000.000 | ND | ±0.000 | Pass |
| Benzene | 0.268 | 0.893 | 2.000 | ND | ±0.000 | Pass |
| n-Butane | 61.607 | 205.357 | | ND | ±0.000 | Tested |
| Isobutane | 61.607 | 205.357 | | ND | ±0.000 | Tested |
| Butanes | | | 1000.000 | ND | ±0.000 | Pass |
| Ethanol | 66.964 | 223.214 | 5000.000 | 413.607 | ±23.878 | Pass |
| Ethyl Acetate | 66.964 | 223.214 | 1000.000 | ND | ±0.000 | Pass |
| Heptane | 66.964 | 223.214 | 1000.000 | ND | ±0.000 | Pass |
| n-Hexane | 1.339 | 4.464 | | ND | ±0.000 | Tested |
| 2,2-Dimethylbutane | 1.339 | 4.464 | | ND | ±0.000 | Tested |
| 3-Methylpentane | 1.339 | 4.464 | | ND | ±0.000 | Tested |
| 2-Methylpentane/2,3-Dimethylbutane | 2.679 | 8.929 | | ND | ±0.000 | Tested |
| Hexanes | | | 60.000 | ND | ±0.000 | Pass |
| Methanol | 26.786 | 89.286 | 600.000 | ND | ±0.000 | Pass |
| Isopentane | 61.607 | 205.357 | | ND | ±0.000 | Tested |
| n-Pentane | 26.786 | 89.286 | | ND | ±0.000 | Tested |
| Neopentane | 61.607 | 205.357 | | ND | ±0.000 | Tested |
| Pentanes | | | 1000.000 | ND | ±0.000 | Pass |
| 2-Propanol | 66.964 | 223.214 | 1000.000 | ND | ±0.000 | Pass |
| Propane | 267.857 | 892.857 | 1000.000 | ND | ±0.000 | Pass |
| Toluene | 0.134 | 0.446 | 180.000 | ND | ±0.000 | Pass |
| Ethylbenzene | 0.134 | 0.446 | | ND | ±0.000 | Tested |
| m/p-Xylene | 0.134 | 0.446 | | ND | ±0.000 | Tested |
| o-Xylene | 0.134 | 0.446 | | ND | ±0.000 | Tested |
| Xylenes | | | 430.000 | ND | ±0.000 | Pass |

Date Tested: 07/21/2026
Testing Method: HS-GC/MS, CON-P-8000; Validation Date: 09/2020, Butanes (measured as the cumulative sum of n-Butane and iso-Butane), Hexanes (measured as the cumulative sum of n-Hexane, 2,2-Dimethylbutane, 3-Methylpentane, 2-Methylpentane/2,3-Dimethylbutane), Pentanes (measured as the cumulative sum of iso-Pentane, n-Pentane, and neo-Pentane), Xylenes (measures as the cumulative sum of m/p-Xylene, o-Xylenes, and ethylbenzene). The decision rule is employed; the uncertainty measurement is not included in the reported result.

Ashley Phillips
Laboratory Director
07/29/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.